

UPDATED EAST SEARCH 09/04/2006 <sup>TM</sup> *Donna M. Monds*

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	0	Popescu.in. and val.in.	USPAT
2	BRS	L5	0	712/240.ccls	USPAT
3	BRS	L10	1614	branch near2 (buffer or cache)	USPAT
4	BRS	L12	0	(branch near2 (buffer or cache))adj all	USPAT
5	BRS	L13	0	(branch near2 (buffer or cache))near2 all	USPAT
6	BRS	L16	7	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
7	BRS	L17	7	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
8	BRS	L18	652389	integrat\$3 (instruction adj cache) with (BTAC or (branch adj target adj address cache))	USPAT
9	BRS	L20	2	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address adj cache)))	USPAT
10	BRS	L21	2	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address)))	USPAT
11	BRS	L22	118	712/235.ccls. and branch	USPAT
12	BRS	L23	89	712/235.ccls. and branch and target	USPAT
13	BRS	L25	1257	speculative and branch and target and (cache or buffer)	USPAT
14	BRS	L26	848	speculative and (branch near2 target and (cache or buffer))	USPAT
15	BRS	L29	3	speculative adj branch adj target adj address adj (buffer or cache)	USPAT
16	BRS	L31	595	emma.in.	USPAT
17	BRS	L34	0	decod\$3 adj after adj speculation	USPAT

	Type	L #	Hits	Search Text	DBs
18	BRS	L35	0	EACH ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
19	BRS	L36	280	EVERY ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
20	BRS	L44	321	non-branch	USPAT
21	BRS	L45	283	non-branch and fetch\$3	USPAT
22	BRS	L50	4090	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3)	USPAT
23	BRS	L51	80	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) with (target adj address)	USPAT
24	BRS	L54	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
25	BRS	L55	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
26	BRS	L56	0	always adj calculat\$3 near2 (target adj address)	USPAT
27	BRS	L57	0	always adj predict near2 (target adj address)	USPAT
28	BRS	L58	0	(look-up near2 every near2 address) and (target adj address)	USPAT
29	BRS	L59	0	(look-up near2 (every or all or each) near2 address) and (target adj address)	USPAT
30	BRS	L62	175	\$2valid\$3 adj opcode	USPAT
31	BRS	L63	119	(\$2valid\$3 adj opcode) and branch	USPAT
32	BRS	L64	47	(\$2valid\$3 adj opcode) and branch and prediction	USPAT
33	BRS	L67	31	emma.in. and branch	USPAT
34	BRS	L69	1979	712/233-244.ccls.	USPAT
35	BRS	L70	332	712/208.ccls.	USPAT
36	BRS	L71	0	"09489072"	USPAT
37	BRS	L72	0	"9489072"	USPAT
38	BRS	L78	0	austin.in. and parks.in.	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
39	BRS	L79	9366	austin.in. or parks.in.	US- PGPUB; USPAT
40	BRS	L80	7424	austin.in. or parks.in. and BTAC	US- PGPUB; USPAT
41	BRS	L82	123	(opcode) near2 location	US- PGPUB; USPAT
42	BRS	L85	238	opcode adj address	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
43	BRS	L87	29	(opcode adj address) and (branch near2 misprediction or erroneou\$5)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
44	BRS	L90	1177	712/208-211.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
45	BRS	L91	2547	712/233-244.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
46	BRS	L92	510083	processor	US- PGPUB; USPAT
47	BRS	L94	0	"3909797".pn.	US- PGPUB
48	BRS	L99	7757	MTT	USPAT
49	BRS	L39	1	"5163140".pn.	USPAT
50	BRS	L40	1	"5230068".pn.	USPAT
51	BRS	L41	1	"4295193".PN.	USPAT
52	BRS	L42	1	"4991080".PN.	USPAT
53	BRS	L43	1	"4943908".PN.	USPAT
54	BRS	L47	1	"4437149".PN.	USPAT
55	BRS	L48	1	"5072364".PN.	USPAT
56	BRS	L74	1	"5446850".pn.	USPAT
57	BRS	L75	1	"6317820".pn.	USPAT
58	BRS	L76	1	"5604877".pn.	USPAT
59	BRS	L77	1	"5867701".pn.	USPAT
60	BRS	L95	1	"3909797".pn.	USPAT
61	BRS	L102	1	"6272623".pn.	US- PGPUB; USPAT
62	BRS	L103	1	"5553253".pn.	US- PGPUB; USPAT
63	BRS	L104	1	"6542921".pn.	US- PGPUB; USPAT
64	BRS	L105	1	"6421774".pn.	US- PGPUB; USPAT
65	BRS	L107	1	"5050070".pn.	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
66	BRS	L3	52	meonske	USPAT
67	BRS	L4	19	(712/237 712/233 712/239).ccls. and speculat\$3 with (stack buffer) with return	USPAT
68	BRS	L7	24	712/240.ccls. and (address adj (subset or portion))	USPAT
69	BRS	L8	4	712/240.ccls. and BTAC	USPAT
70	BRS	L11	2	(branch near2 (buffer or cache))adj every	USPAT
71	BRS	L14	3	(branch near2 (buffer or cache)) with ((every or all) adj instruction)	USPAT
72	BRS	L15	7	(branch near4 (buffer or cache)) with ((every or all) adj instruction)	USPAT
73	BRS	L24	81	712/235.ccls. and branch and target and (cache or buffer)	USPAT
74	BRS	L28	7	speculative adj branch adj target adj address	USPAT
75	BRS	L30	27	speculative and branch adj target adj address adj (buffer or cache)	USPAT
76	BRS	L32	16	emma.in. and branch and target	USPAT
77	BRS	L33	10	decod\$3 adj after adj branch\$3	USPAT
78	BRS	L37	4	EVERY ADJ INSTRUCTION WITH(TARGET ADJ ADDRESS)	USPAT
79	BRS	L49	61	"5163140".URPN.	USPAT
80	BRS	L52	63	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address)	USPAT
81	BRS	L53	38	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address) and ((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
82	BRS	L60	9	((look-up or access or predict) near2 (every or all or each) near2 address) and (target adj address)	USPAT

	Type	L #	Hits	Search Text	DBs
83	BRS	L61	24	instruction near2 length near2 compar\$3	USPAT
84	BRS	L65	45	(\$2valid\$3 adj opcode) and branch adj prediction	USPAT
85	BRS	L66	11	(invalid\$3 adj opcode) and branch adj prediction	USPAT
86	BRS	L68	7	emma.in. and branch.ti.	USPAT
87	BRS	L73	52	meonske	USPAT
88	BRS	L81	4	(austin.in. or parks.in.) and BTAC	US- PGPUB; USPAT
89	BRS	L84	25	opcode adj location	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
90	BRS	L86	68	(opcode adj address) and branch	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
91	BRS	L88	4	(opcode adj address) and (branch near2 (misprediction or erroneou\$5))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
92	BRS	L89	7	(opcode adj address) and (branch near2 (mispredict\$5 or erroneou\$5))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
93	BRS	L96	2	"5630135".pn. or "5790842".pn.	USPAT
94	BRS	L97	2	"6247122".pn. or "6189091".pn.	USPAT
95	BRS	L98	6	BTB and MTT	USPAT
96	BRS	L100	23	MTT and BTB	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
97	BRS	L101	3	"6601161".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
98	BRS	L106	3	"5353421".pn. or "4200927".pn. or "5964868".pn.	US- PGPUB; USPAT
99	BRS	L2	126	Popescu.in.	USPAT
100	BRS	L9	132	712/235.ccls.	USPAT
101	BRS	L19	200	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address cache)))	USPAT
102	BRS	L38	110	speculative with (target adj address)	USPAT
103	BRS	L83	129	(opcode) near2 location	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
104	BRS	L6	233	712/240.ccls.	USPAT
105	BRS	L46	258	non-branch and fetch\$3 and decod\$3	USPAT
106	BRS	L27	367	speculative and (branch adj target near2 (cache or buffer))	USPAT
107	BRS	L93	210779	processor	US- PGPUB